

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,943,166 B1
APPLICATION NO. : 10/031556
DATED : September 13, 2005
INVENTOR(S) : Pullman et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

First page, line 54, in the title, "INHABITORS" should be --INHIBITORS-- and "DISFUNCTION" should be --DYSFUNCTION--

Column 1, lines 1-4, in the title, "INHABITORS" should be --INHIBITORS-- and "DISFUNCTION" should be --DYSFUNCTION--

Column 1, line 35, "CGMP" should be -- cGMP --

Column 1, line 35, delete "lyzing"

Column 1, line 38, "PDES" should be -- PDE5 --

Column 1, line 51, "3 rM" should be -- 3 nM --

Column 1 line 62, "vison" should be --vision --

Column 2, line 14, "PDES" should be -- PDE5 --

Column 2, line 36, delete "in" between "the" and "product"

Column 2, line 44, "for-sexual" should be -- for sexual --

Column 3, line 45, "in vitro" should be italicized

Column 4, line 45, "Iarts." should be -- arts. --

Column 5, lines 53-54, "VIAGRA" should be -- VIAGRA® --

Column 6, line 15, "2xSC-leu" should be -- 2X SC-leu --

Column 6, line 17, "2xYEP/" should be -- 2X YEP/ --

Column 6, line 19, "-700C." should be -- -70°C. --

Column 6, line 41, "ZnSO₄)." should be -- ZnSO₄). --

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,943,166 B1
APPLICATION NO. : 10/031556
DATED : September 13, 2005
INVENTOR(S) : Pullman et al.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6, line 53, "[³²p] cGMP to [32p]5'GMP" should be -- [³²P] cGMP to [³²p] 5'GMP --

Signed and Sealed this

Eighth Day of August, 2006

A handwritten signature in black ink, reading "Jon W. Dudas". The signature is stylized, with a large loop for the "J" and a cursive "Dudas".

JON W. DUDAS
Director of the United States Patent and Trademark Office